



2021-03-22

Product specifications

Name Anti-Chlamydia trachomatis 6709 SP-5

Specificity Antibody recognizes Chlamydia trachomatis LPS

Description Monoclonal mouse antibody, cultured *in vitro* under conditions free from animal-derived

components.

Product code 100073

Product buffer solution 0.9 % NaCl, 0.095 % NaN₃ as a preservative

Shelf life and storage 36 months from manufacturing at 2–8 °C

 $Subclass \hspace{1cm} IgG_{2a}$

Analyte description C. trachomatis is an obligate intracellular pathogen and can cause numerous disease states in

both men and women. Both sexes can display urethritis, proctitis, trachoma, and infertility. The bacterium can cause prostatitis and epididymitis in men. In women, cervicitis, pelvic inflammatory disease (PID), ectopic pregnancy, and acute or chronic pelvic pain are frequent complications. *C. trachomatis* is also an important neonatal pathogen, where it can lead to

infections of the eye (trachoma) and pulmonary complications.

Parameters tested on each lot

Product appearance Liquid, may turn slightly opaque during storage

Product concentration 5.0 mg/ml (+/- 10 %)

 ${\color{red}Immunoreactivity} {\color{gray}80-120\,\%\,compared\,to\,the\,reference\,sample\,in\,an\,FIA\,test}$

IEF Profile 6.7–7.5

Purity ≥ 95 %

Kinetic parameters

Association rate constant Not Determined (N/D)

Dissociation rate constant N/D

Affinity constant N/D

Determination method -

Determination antigen -





2021-03-22

Cross-reactivities Recognizes *C. pneumoniae* and *C. psittaci* .

Does not recognize S. minnesota, B. quintana, B. henselae or S. negevensis.

Epitope Chlamydial LPS KDO-trisaccharide

Pair recommendations

		DETECTION		
		6701	6703	6709
CAPTURE	6701	-	-	-
	6703	-	-	-
	6709	+	-	-

Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.

Platforms tested FI

Antigens tested N/D

Product stability TEMPERATURE, TIME RESULT

-70 °C, 21 days N/D
-20 °C, 21 days OK
+4 °C, 21 days OK
+30 °C, 21 days OK
+35 °C, 7 days OK

+35 °C, 21 days Charge alterations +45 °C, 3 days Precipitation observed +45 °C, 7 days Reduced immunoreactivity

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2–8 °C in the product buffer.

Miscellaneous Chlamydia LGV2 strain was used for immunization.

Clone 6709 binds to chlamydial lipopolysaccharide (LPS) and therefore recognizes all

ch lamy dias.

References Tiirola, T., Jaakkola, A., Bloigu, A., Paldanius, M., Sinisalo, J., Nieminen, M.S., Silvennoinen-

Kassinen, S., Saikku, P., Jauhiainen, M. and Leinonen, M. (2006) Novel enzyme immunoassay utilizing lipopolysaccharide-binding protein as a capture molecule for the measurement of

chlamydial lipopolysaccharide in serum. Diag. Microbiol. Inf. Dis. 54:7-12